





ARM R12 - pc.3

[illegible]

NOTE:

- 
1. Materials:
 - Steel: S235JRG2.
 - Bolts: class 8.8, nuts: class 8.
 2. Tolerances:
 - Tolerances for welded construction PN-EN ISO 13920 class B/F.
 - Tolerances for welds according to PN-EN 5817 class C.
 3. Welding:
 - All welds shall be 100% visually inspected.
 - Butt weld perform a full penetration.
 4. Corrosion protection:
 - All welds shall be tight.
 - Hot-dip galvanizing according to PN-EN ISO 1461.
 - Provide vent and drain holes for the flow of zinc - max. Ø25mm (to be plugged).
 - Provide drainage holes - max. Ø7mm (not to be plugged).
 5. Sharp edges shall be rounded.
 6. The construction is subjected to live loads. Execute according to PN-EN 1090.
 7. Perform a trial assembly.
 8. For additional comments see "Technical description".



HORIZONTAL 4 KFT.

2700 Cegléd, Kossuth tér 4.
tel.: 53/500-159 fax: 53/316-629

Megrendelő:

Munka:

Ceglédi Termálfürdő Kft., 2700 Cegléd, Fürdő út 27-29.

Cegléd Aquapark - Aqualoop és Space bowl csúszdák kiviteli terve
2700 Cegléd, Aquapark hrsz.: 12308

Tervlap:

Tervező:

Gyártmányterv 13.

Törös Csaba építész vezető tervező É/1 13-0145

É-17

2016.05.18.

M 1:10